

***New Media Data Outlet Modules***



***New Media Data Outlet Modules***



The New Media Modules offer a flexible build solution to a host of individual power socket outlet requirements. The clip fit grid modules are simple to install in their blank mounting plates.

***New Media Data Outlet Modules***

***Product Range***

**New Media Data Outlet Modules**

<b>MM480**</b>	RJ45 Cat-5E Outlet Module
<b>MM485**</b>	RJ45 Cat-6E Outlet Module




MM480WH



MM485BK


**New Media Data Outlet Modules**

**Product Dimensional Drawings (mm)**



**Wiring Diagram**

**MM480, MM485**



## New Media Data Outlet Modules

### Technical Specification

#### New Media Data Outlet Modules

<b>Material Composition</b>	Module: Polycarbonate
<b>Connection Type</b>	RJ45 Outlet - IDC
<b>Back Box Depth</b>	25mm - 47mm (Dependant on Mounting Plate Used)
<b>Module Size</b>	Single Width (25mm x 50mm)
<b>Modular</b>	Yes
<b>Warranty</b>	1 Year
<b>IP Rating</b>	IP20
<b>Operational Temperature</b>	-5° to +40°C
<b>Standards</b>	BS 6312-2-2:1997 (where applicable) BS EN 50173-1:2011 (where applicable) BS 5733:1995 (where applicable)

#### Additional Information

Standard Euro Module Size.

Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram with the relevant product.

Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal.



## DECLARATION OF CONFORMITY

1. *Issuer Name* Scolmore International Limited
2. *Issuer Address* 1 Scolmore Park, Landsberg,  
Lichfield Road Industrial Estate,  
Tamworth, Staffordshire, B79 7XB
3. *Object(s) of Declaration* New Media Range
  - a. *Group* Data Outlet Modules
  - b. *Model No.* MM480, MM485
4. *The object of the declaration described above is in conformity with the requirements of the following Legislations:*
5. *All products contained within the aforementioned comply with the relevant standards and requirements listed below.*

BS 6312-2-2 : 1997 (where applicable)

BS EN 50173-1 : 2011 (where applicable)

BS 5733 : 1995 (where applicable)

6. *I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives.*

*In conjunction with the above all manufacture and process controls are in accordance with ISO 9001:2008*

Signed, for and on behalf of: Scolmore International Limited

Steven Bettson BSc - Senior Technical Support Engineer

**CE 15**